

# McAfee Internet Security 2007 Setup

Security Center - 7.0 build 7.0.331

Virus Scan - 11.0 build 11.0.213

Personal Firewall: 8.0 build 8.0.207


1. Click on the **McAfee Security Center** to open the program.




2. Click the **Internet & Network** option. Then click the Configure to change the options for the Firewall Protection under this setting.




3. Once in the Internet & Network Configuration, select the “Firewall protection is enabled” option. Then click the **Advanced...** button under this setting.




4. Select the Program Permissions option under the firewall column to the left of the window.




5. Now the user must add the I'm InTouch executables so that McAfee's firewall will allow full access. Click the **"Add Allowed Program"**.



6. In the Add Program window, go to C:\Program Files\01 Com\Webserver, and select the **Apache.exe** file and click Open.



7. The Apache.exe file should now appear in the Program Permissions list with the Permissions set to Full Access.



**Note:**

Repeat Steps 5 – 7 for all of the following files and make sure they are all set to Full Access:

- Agent.exe** (C:\Program Files\01 Com\Webserver)
- 01Updt.exe** (C:\Program Files\01 Com\I'm InTouch)
- IIT.exe** (C:\Program Files\01 Com\I'm InTouch\BIN)
- OERemote.exe** (C:\Program Files\01 Com\I'm InTouch\BIN)
- Outlk01.exe** (C:\Program Files\01 Com\I'm InTouch\BIN)
- Rdesktop.exe** (C:\Program Files\01 Com\I'm InTouch\BIN)
- 01FileSys.exe** (C:\Program Files\01 Com\I'm InTouch\BIN)


8. Return to the Home window of the McAfee Security Center. Now select the Parental Controls option (if it is enabled). Once selected, click the Configure option to change the configuration of the Parental controls.



9. Once in the “Parental Controls Configuration” window, click the Advanced... button.



10. Select the “Allowed Web Sites” option on the left menu pain under the Global Parental Controls.




11. In the http:// field, enter the following addresses one at a time, clicking Add after each address is entered into the field entry box.


locator02.01com.com

locator03.01com.com

locator04.01com.com



12. Once all three are entered it should appear as in the image below. Then press ok and close the McAfee Security Center.



Note: If parental controls are disabled, when you first try to access remotely, McAfee will pop-up a message on the host system with the following box:



Make sure you select “Allow this Web site”. But if you are the remote location you will not be able to access until this option is selected on the host PC.